

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1629	(application OR resource) AND (unload\$3 OR shutdown OR initializ\$3) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:33
L2	3450	(application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:37
L3	382	(logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:37
L4	382	(client OR user) AND (logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:37
L5	292	shar\$3 AND (client OR user) AND (logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 11:23
S1	2	"6070240".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:21
S2	3	"10040213"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:21
S3	7	user login profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:25

EAST Search History

S4	88	context AND roaming AND switch\$3 AND user AND login AND profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:26
S5	61	context AND roaming AND switch\$3 AND user AND identity AND login AND profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:26
S6	12	context AND roaming AND switch\$3 AND user AND identity AND login AND profile AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:28
S7	650	login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:28
S8	563	interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:28
S12	118	log\$4 AND (management OR administration) AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/21 13:29
S13	115	management AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:07
S14	119	(management OR administration) AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:10

EAST Search History

S15	131	account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:13
S16	6710	microsoft AND windows AND user AND login	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:14
S17	5003	microsoft AND windows AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:14
S18	108	screen saver AND microsoft AND windows AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:17
S19	33	screen\$ saver AND microsoft AND windows AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:15
S20	0	screen saver AND kde AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:17
S21	0	screen saver AND gnome AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:17
S22	123	screen saver AND window AND user AND login AND management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:18

EAST Search History

S23	30	screen\$1saver AND window AND user AND login AND management AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:18
S24	16	screen\$1saver AND window AND user AND login AND management AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:29
S25	6	screensaver AND user AND login AND authenticat\$4 AND access AND switch\$3 AND interface AND reduc\$4 AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 10:30
S26	581	user login AND data processing AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:24
S27	78	user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:24
S28	69	interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:24
S29	41	user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:25
S30	5	switching AND user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:25
S31	1	user switching AND user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/27 11:25